

The SpillSmart Portable Oil and Water Separator acts as disposable filter allowing untreated wastewater to pass through the filter bag whist capturing sediment and hydrocarbons. These filter bags are filled with High quality shredded Oil Only, Melt Blown Polypropylene that successfully soaks up most of the oil passing through, before arriving to the 270gsm Geotextile outer lining.

They are utilised in a host of dewatering activities on mining, construction and industrial sites, after rain events and in water collection points that may be contaminated with hydrocarbons. Put simply, they are a very cost effective device that controls the amount of sediment and hydrocarbons leaving site.

Installing the SpillSmart Portable Oil and Water Separator is simple. Place the untreated wastewater hose in the inlet opening of the filter bag. Just ensure the hose is fed through the entire neck so the wastewater discharge takes place right inside the filter bag. Secure the hose with a hose clamp or zip-tie to prevent unfiltered water from flowing out of the unit and it is ready to go!



- 📞 (07) 3889 8546
- ☑ sales@everythingwater.com
- 7 Unley St, Brendale QLD 4500
- Severythingwater.com

Portable Oil & Water Separator Bag

Designed for:

• Filtering oils and hydrocarbons whilst discharging accumulated water from water collection points.

Features:

- Oil and Water Separator Filter Bag 270gsm, Needle Punched, Polypropylene Geotextile Filter Bag, captures a large variety of silt and suspended particles allowing water to pass through.
- Premium quality shredded Oil Only, Melt Blown Polypropylene, hydrophobic filter filling.
- Filter filling repels water, captures hydrocarbons and other fuels whilst freely passing water.
- Can reduce the need and expense of vacuum extrusion trucks
- Reduces environmental impact
- Made in Australia

Order Codes:

ES-FB-OWS-SR Oil & Water Separator Filter Bag - Small 40cm x 25cm x 30cm neck for 50mm pipe or less. Filled with 1.5kg of Meltblown Hydrophobic Polypropylene Sorbent.

ES-FB-OWS-MR Oil & Water Separator Filter Bag - Medium 60cm x 80cm x 50cm neck for 100mm pipe or less. Filled with 3kg of Meltblown Hydrophobic Polypropylene Sorbent.


ES-FB-OWS-LR Oil & Water Separator Filter Bag - Large 60cm x 130cm x 50cm neck for 100mm pipe or less. Filled with 5kg of Meltblown Hydrophobic Polypropylene Sorbent.

ES-FB-OWS-Custom O&W Separator Filter Bag - Custom Custom

Portable Oil & Water Separator Bag **Wand Attachment**

ALSO

AVAILABLE



The Wand attachment is 1300mm long with a 50mm diameter. It features a female/male camlock and 50mm Ball Shutoff Valve making Filter Bag changes a lot easier whilst assisting to prevent untreated water from escaping into the environment. This popular device is suitable for larger size portable Oil & Water Separator Filter Bags as the Wand requires to be inserted at least 650mm into the filter bag for correct fitment.

Designed for:

- Increasing efficiency of SpillSmart Portable Oil & Water Separator Filter Bag through even dispersal of waste water
- PVC Shutoff valve reduce risk of untreated water escaping during filter bag changes
- Easy attachment to outlet hose
- Reusable
- Australian Made

Features:

- 1300mm L x 50mm Día PVC Pressure Pipe
- 50mm Female & Male Camlock
- 50mm PVC Ball Valve
- Perforated outlet (needs to insert at least 650mm into OWS Filter Bag

ES-FB-OWS-WD	O&W Sep. Filter Bag
	Wand Attachment



- 📞 (07) 3889 8546
- ☑ sales@everythingwater.com
- 7 Unley St, Brendale QLD 4500
- everythingwater.com